



XUV 875M

Key Specs

Engine Power - 17.0 kW

Final Drive - Park, high, low, neutral, reverse transaxle

Four Wheel Drive - Dash switch actuated four-wheel drive system with limited slip front differential, plus locking rear differential

Front Suspension - Fully independent dual A-arm with adjustable coils; 200.7-mm (7.9 in.) of travel

Rear Suspension - Fully independent dual A-arm with adjustable coils and sway bar; 231.14-mm (9.1-in.) of travel

Fuel Capacity - 42.4 L

Cargo Box Dimensions - 1099 x 343 x 1392 mm

Cargo Box Volume - 524.0 L

Cargo Box Capacity (Weight) - 454.0 kg

Towing Capacity - 907.0 kg

Engine

Engine Type - 4-cycle diesel

Displacement - 854.0 cc

Engine Power - 17.0 kW

Cooling System - Liquid

Drivetrain

Transmission - Continuously variable transmission (CVT) with clutch enclosure

Final Drive - Park, high, low, neutral, reverse transaxle

Four Wheel Drive - Dash switch actuated four-wheel drive system with limited slip front differential, plus locking rear differential

Drivetrain

Traction Assist - Positive locking, switch actuated rear differential lock

Descent Control - Yes

Suspension

Front Suspension - Fully independent dual A-arm with adjustable coils; 200.7-mm (7.9 in.) of travel

Rear Suspension - Fully independent dual A-arm with adjustable coils and sway bar; 231.14-mm (9.1-in.) of travel

Brakes

Type - Front/rear hydraulic disc with twin piston front calipers

Park Brake - Foot operated (hand release)

Tires/Wheels

Front - 25x9-12 Terra Hawk all-terrain on steel wheels
27x9-R14 Maxxis® Bighorn® 2.0 extreme terrain radials on steel or alloy wheels
27x9-R14 Predator Heavy-Duty all-terrain radials on steel or alloy wheels

Rear - 25x11-12 Terra Hawk all-terrain on steel wheels
27x11-R14 Maxxis Bighorn 2.0 extreme terrain radials on steel or alloy wheels
27x11-R14 Predator Heavy-Duty all-terrain radials on steel or alloy wheels

Dimensions / Capacities

Wheelbase - 2211.0 mm

Weight - 915.0 kg

Length - 3250.0 mm

Width - 1625.0 mm

Height - 2030.0 mm

Tread Centers - Front - 1376.0 mm

Tread Centers - Rear - 1300.0 mm

Ground Clearance - 305.0 mm

Fuel Capacity - 42.4 L

Cargo Box Dimensions - 1099 x 343 x 1392 mm

Cargo Box Volume - 524.0 L

Cargo Box Capacity (Weight) - 454.0 kg

Payload Capacity - 627.0 kg

Towing Capacity - 907.0 kg

Features

Color - Green and yellow, camouflage, olive and black

Power Steering - Yes

Battery - 480.0 CCA

Battery - 12.0 V

Alternator - 85.0 amp

Power Port - DC Outlet - 12.0 V

Power Port - Cargo Box - 12.0 V

Instrumentation - Digital display (gear position, system diagnostic light, speed, rpm, 4WD indicator, rear differential indicator, fuel level, coolant temperature, hour meter, miles, and service interval warning light)

Storage - OOS Total: 97.8 L 25.8 gal.

Four cup holders: 1.3 L 0.3 gal.

Center tray: 1.2 L 0.3 gal.

Three dash bins: 5.0 L 1.3 gal.

Storage pocket: 1.4 L 0.4 gal.

Glove box: 3.8 L 1.0 gal.

Under seat: 55.3 L 14.6 gal.

Optional under hood: 30.0 L 7.9 gal.

Cab total: 69.5 L 18.4 gal. with two additional door-mounted cup holders, two dash bins, and no optional underhood storage.

Seating - Black vinyl 40/60 split bench

Front-Mounted LED Worklights - Optional

Cargo Box Power Lift - Optional

Additional Information

Country Of Manufacture - U.S.

Date Collected - 2024-10-01T00:00:00